

COBB COUNTY SCHOOL DISTRICT
PROCUREMENT DEPARTMENT
6975 Cobb International Boulevard
Kennesaw, GA 30152

TO: All Prospective Vendors
DATE: August 26, 2009
SUBJECT: Addendum No. 2 to “RFP 35-09”
ADDENDUM: Please review attached *Painting Specifications & Requirements*

Note: Standard Colors for both Stand Alone & Modular Grouped Units with Hallway & Restrooms

**PAINTS USED MUST BE EQUAL TO OR GREATER THAN THE FOLLOWING
DEPENDING ON MATERIALS USED IN CONSTRUCTION OF UNIT:**

Latex Flat Interior Paint —Porter Hi-Hide 689, Sherwin-Williams Classic 99, Duron PlastiKote, or equal with a minimum of 30 % volume solids and a minimum of 20 % titanium dioxide by total weight.
Latex Semi-Gloss Interior Paint —Porter Hi-Hide Semi-Gloss 109, Sherwin-Williams Pro-Mar 200 Semi-Gloss, Duron PlastiKote Semi-Gloss, or equal with a minimum of 38 % volume solids and a minimum of 20 % titanium dioxide by total weight.
Acrylic Latex Flat Exterior Paint —Porter Acri-Shield 519, Sherwin-Williams Super Paint Flat, or equal with a minimum of 33 % volume solids and a minimum of 20 % titanium dioxide by total weight.
Acrylic Latex Semi Gloss Exterior Paint —Porter Acri-Shield , Sherwin Williams Super Paint, or equal with a minimum of 35 % volume solids and a minimum of 20 % titanium dioxide by weight.

Ginny Martin, CPPB
Procurement Services